



SAFETY DATA SHEET  
EPO-TEK EJ2189-LV Part A

### 1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK EJ2189-LV Part A
<u>Product No.</u>	EPO-TEK EJ2189-LV Part A
<u>Identification No.</u>	UN3082
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

### 2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Paste
<u>Color</u>	Silver.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



Signal Word Warning

Hazard Statements

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P501	Dispose of contents/container in accordance with local regulations.

Contains

Epoxy Phenol Novolac

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Eye Irrit. 2 - H319; Skin Sens. 1 - H317
Environment	Aquatic Chronic 2 - H411

Inhalation

Gas or vapor in high concentrations may irritate respiratory system.

Ingestion

May cause discomfort if swallowed.

Skin Contact

May cause sensitization by skin contact. Prolonged contact may cause redness, irritation and dry skin.

# EPO-TEK EJ2189-LV Part A

## Eye Contact

Irritating to eyes.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Epoxy Phenol Novolac	10-30%
CAS No.: 9003-36-5	EC No.:
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411	
Reactive Diluent Blend	5-10%
CAS No.: Proprietary	EC No.: Proprietary
GHS Classification Acute Tox. 4 - H302; Eye Dam. 1 - H318; STOT SE 3 - H336	

### 4. FIRST-AID MEASURES

#### Description of first aid measures

##### Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

##### Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

##### Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

##### Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

##### Inhalation

Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

##### Ingestion

May cause discomfort if swallowed.

##### Skin Contact

Allergic rash. Prolonged contact may cause redness, irritation and dry skin.

##### Eye Contact

Irritating and may cause redness and pain.

#### Indication of any immediate medical attention and special treatment needed

##### Notes To The Physician

Treat Symptomatically.

### 5. FIRE-FIGHTING MEASURES

Flash point (°C) 93

##### Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Carbon dioxide (CO2).

##### Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Special Fire Fighting Procedures

Avoid breathing fire vapors. Water spray should be used to cool containers.

Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Do not discharge onto the ground or into water courses. Avoid release to the environment.

Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

Reference to other sections

For personal protection, see section 8.

**7. HANDLING AND STORAGE**

Handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Provide good ventilation.

Storage

Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Protective Equipment



Process Conditions

Provide eyewash station.

Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Wear protective gloves.

Eye Protection

Wear goggles/face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Paste
<u>Color</u>	Silver.
<u>Odor</u>	Mild.
<u>Solubility</u>	Insoluble in water
<u>Flash point (°C)</u>	93

## 10. STABILITY AND REACTIVITY

### Reactivity

Reaction with: Strong alkalis. Strong oxidizing agents. Strong reducing agents. Acids.

### Stability

Stable under normal temperature conditions.

### Hazardous Polymerisation

Will not polymerise.

### Conditions To Avoid

Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition.

### Materials To Avoid

Strong acids. Strong alkalis. Strong reducing agents. Strong oxidizing substances.

### Hazardous Decomposition Products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11. TOXICOLOGICAL INFORMATION

### Toxicological information

No information available.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Acute Fish Toxicity

Very toxic to aquatic organisms.

### Degradability

The product is moderately biodegradable.

### Bioaccumulative potential

The product contains potentially bio-accumulating substances.

### Mobility:

Semi-mobile.

### Other adverse effects

Not known.

## 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

## 14. TRANSPORT INFORMATION

<u>UN No. (DOT/TDG)</u>	UN3082
<u>UN No. (IMDG)</u>	3082
<u>UN No. (ICAO)</u>	3082
<u>DOT Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver, Epoxy Phenol Novolac)
<u>TDG Proper Shipping Name</u>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Silver, Epoxy Phenol Novolac)
<u>DOT Hazard Class</u>	9
<u>DOT Hazard Label</u>	Class 9
<u>TDG Class</u>	9
<u>TDG Label(s)</u>	9
<u>IMDG Class</u>	9
<u>ICAO Class</u>	9
<u>Transport Labels</u>	



<u>DOT Pack Group</u>	III
<u>IMDG Pack Group</u>	III
<u>Air Pack Group</u>	III

Environmentally Hazardous Substance/Marine Pollutant



EMS F-A, S-F

## 15. REGULATORY INFORMATION

US Federal RegulationsSARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed.

Silver; 1, 000 lbs (454 Kg)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

The following ingredients are listed.

Silver

CAA Accidental Release Prevention

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed. Silver

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

Silver

Rhode Island "Right To Know" List

The following ingredients are listed.

Silver

Minnesota "Right To Know" List

The following ingredients are listed.

Silver

New Jersey "Right To Know" List

The following ingredients are listed.

Silver

Pennsylvania "Right To Know" List

The following ingredients are listed.

Silver

International Inventories

EU - EINECS/ELINCS

At least one ingredient is not listed.

Canada – DSL/NDSL

At least one ingredient is not listed.

US - TSCA

At least one ingredient is not listed.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

At least one ingredient is not listed.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt

16. OTHER INFORMATION

Revision Date 02/06/2015

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



**SAFETY DATA SHEET**  
**EPO-TEK EJ2189-LV Part B**

### 1. IDENTIFICATION

<u>Product Name</u>	EPO-TEK EJ2189-LV Part B
<u>Product No.</u>	EPO-TEK EJ2189-LV Part B
<u>Identification No.</u>	UN2320
<u>Identified uses</u>	Adhesive.
<u>Supplier</u>	Epoxy Technology, Inc. 14 Fortune Drive Billerica, MA 01821 USA www.epotek.com (978) 667-3805 (978) 663-9782
<u>Emergency Telephone</u>	(800) 255-3924

### 2. HAZARD(S) IDENTIFICATION

<u>Appearance</u>	Liquid
<u>Color</u>	Amber.
<u>Odor</u>	Mild.
<u>GHS Pictogram</u>	



<u>Signal Word</u>	Danger
--------------------	--------

<u>Hazard Statements</u>	H314	Causes severe skin burns and eye damage.
	H317	May cause an allergic skin reaction.
	H335	May cause respiratory irritation.
	H412	Harmful to aquatic life with long lasting effects.
<u>Precautionary Statements</u>	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER or doctor/physician.
	P501	Dispose of contents/container in accordance with local regulations.
<u>Contains</u>	Tetraethylenepentamine	
<u>GHS Classification</u>	Physical and Chemical Hazards	Not classified.
	Human health	Skin Corr. 1B - H314; Skin Sens. 1 - H317; STOT SE 3 - H335
	Environment	Aquatic Chronic 3 - H412

#### Inhalation

Irritating to respiratory system.

#### Ingestion

May cause stomach pain or vomiting. May cause chemical burns in mouth, oesophagus and stomach.

#### Skin Contact

May cause sensitization by skin contact. Causes burns.

## EPO-TEK EJ2189-LV Part B

### Eye Contact

Causes burns. Risk of serious damage to eyes.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Tetraethylenepentamine	10-30%
CAS No.: 112-57-2	EC No.:
GHS Classification Acute Tox. 4 - H302; Acute Tox. 4 - H312; Skin Corr. 1B - H314; Skin Sens. 1 - H317; Aquatic Chronic 2 - H411	

### 4. FIRST-AID MEASURES

#### Description of first aid measures

##### Inhalation

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

##### Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

##### Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

##### Eye Contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

##### Inhalation

Irritation of nose, throat and airway.

##### Ingestion

May cause stomach pain or vomiting. May cause chemical burns in mouth and throat.

##### Skin Contact

May cause serious chemical burns to the skin. Allergic rash.

##### Eye Contact

Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal damage.

#### Indication of any immediate medical attention and special treatment needed

##### Notes To The Physician

Treat Symptomatically.

### 5. FIRE-FIGHTING MEASURES

Flash point (°C) 195

##### Extinguishing Media

Fire can be extinguished using: Dry chemicals. Foam. Water spray.

##### Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

##### Special Fire Fighting Procedures

Avoid breathing fire vapors. Water spray should be used to cool containers.

##### Protective Equipment For Fire-Fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### 6. ACCIDENTAL RELEASE MEASURES

##### Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

##### Environmental Precautions

Avoid release to the environment. Do not discharge onto the ground or into water courses.



## EPO-TEK EJ2189-LV Part B

### Spill Clean Up Methods

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

### Reference to other sections

For personal protection, see section 8.

## 7. HANDLING AND STORAGE

### Handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors.

### Storage

Store at moderate temperatures in dry, well ventilated area. Keep container tightly sealed when not in use.

### Storage Class

Chemical storage.

### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Protective Equipment



### Process Conditions

Provide eyewash station.

### Engineering Measures

Provide adequate general and local exhaust ventilation.

### Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

### Hand Protection

Wear protective gloves.

### Eye Protection

Wear tight-fitting goggles or face shield.

### Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

### Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance</u>	Liquid
<u>Color</u>	Amber.
<u>Odor</u>	Mild.
<u>Solubility</u>	Slightly soluble in water.
<u>Vapor density (air=1)</u>	>1
<u>Evaporation rate</u>	<BuAc
<u>Flash point (°C)</u>	195

## 10. STABILITY AND REACTIVITY

### Reactivity

Reaction with: Acids. Alkalis. Strong oxidizing agents. Strong reducing agents.

### Stability

Stable under normal temperature conditions.

## EPO-TEK EJ2189-LV Part B

### Hazardous Polymerisation

Will not polymerise.

### Conditions To Avoid

Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Avoid contact with oxidizers or reducing agents. Avoid contact with acids and alkalis.

### Materials To Avoid

Strong acids. Strong oxidizing substances. Strong reducing agents.

### Hazardous Decomposition Products

Fire creates: Ammonia or amines. Carbon monoxide (CO). Carbon dioxide (CO2). Nitric acid (HNO3). Nitrous gases (NOx).

## 11. TOXICOLOGICAL INFORMATION

### Toxicological information

No information available.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Degradability

The product is biodegradable.

### Bioaccumulative potential

No data available on bioaccumulation.

### Mobility:

Mobile.

### Other adverse effects

Not known.

## 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

## 14. TRANSPORT INFORMATION

<u>UN No. (DOT/TDG)</u>	UN2320
<u>UN No. (IMDG)</u>	2320
<u>UN No. (ICAO)</u>	2320
<u>DOT Proper Shipping Name</u>	TETRAETHYLENEPENTAMINE
<u>TDG Proper Shipping Name</u>	TETRAETHYLENEPENTAMINE
<u>DOT Hazard Class</u>	
8	
<u>DOT Hazard Label</u>	
Corrosive	
<u>TDG Class</u>	8
<u>TDG Label(s)</u>	8
<u>IMDG Class</u>	8
<u>ICAO Class</u>	8
<u>Transport Labels</u>	



DOT Pack Group III

IMDG Pack Group III

Air Pack Group III

Environmentally Hazardous Substance/Marine Pollutant  
No.

EMS F-A, S-B

## 15. REGULATORY INFORMATION

### US Federal Regulations

#### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

#### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

#### SARA 313 Emission Reporting

None of the ingredients are listed.

#### CAA Accidental Release Prevention

None of the ingredients are listed.

#### OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

### US State Regulations

#### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed.

#### California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

#### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

#### Massachusetts "Right To Know" List

The following ingredients are listed.

Tetraethylenepentamine

#### Rhode Island "Right To Know" List

None of the ingredients are listed.

#### Minnesota "Right To Know" List

None of the ingredients are listed.

#### New Jersey "Right To Know" List

The following ingredients are listed.

Tetraethylenepentamine

#### Pennsylvania "Right To Know" List

The following ingredients are listed.

Tetraethylenepentamine

### International Inventories

#### EU - EINECS/ELINCS

All ingredients are listed or exempt.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

At least one ingredient is not listed.

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

16. OTHER INFORMATION

Revision Date 02/06/2015

Revision 1

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.